

What we can learn from aggressive zebrafish

July 14 2025

Zebrafish. Credit: Med Uni Graz/Wittmann

Aggression is a complex behavior dependent on numerous factors such as personal experiences, upbringing, social context, personality and genetics. Florian Reichmann and his team at the Med Uni Graz Division of Pharmacology conduct research on how it is influenced by genetics. With the help of genetically modified fish, they want to obtain insight

into the origin of behaviors and possibly draw conclusions about human behavior.

The zebrafish as a model

The test model of Reichmann's working group is the [zebrafish](#). No more than 5 centimeters long, this small and popular aquarium fish in the carp family has increasingly been used as a test organism in research. About 70% of zebrafish DNA have orthologs (i.e., genes with a similar function) compared to the human genome; this number even approaches 82% in terms of disease-related genes.

Other unusual features of the zebrafish are its quick development—its heart beats just 24 hours after fertilization—its great fertility, with each couple producing several hundred offspring, and its nearly complete transparency in the [larval stage](#), which opens up a variety of possibilities for in vivo microscopy.

Reichmann and his team have studied the zebrafish gene *Irrtm411*. It is orthologous to the human gene *LRRTM4*. The latter "codes a protein that plays a critical role in the development of synapses (junctions between neurons) and their adequate function," explains Reichmann. Polymorphisms, i.e., changes or errors in this gene, have been associated with aggression problems in children, [autism spectrum disorders](#) and Tourette's syndrome.

In order to investigate this relationship more closely, the researchers bred zebrafish whose ortholog *Irrtm411* gene has been "turned off." Finally, they meticulously analyzed the behavior of the fish and molecular changes in their brains. Their study is [published](#) in the journal *Acta Physiologica*.

Peaceful fish

A glimpse in the aquarium yielded interesting findings with regard to the genetically modified fish. The research group was able to establish that the transgenic fish were generally less aggressive. This suggests that this gene plays an important role in the development of aggression. The reason for reduced aggressivity might be increased timidity, yet it probably stems from a changed perception of "enemies" and/or a decreased desire to attack.

A large number of changes were detected in the brain using omics technologies and targeted neurotransmitter measurements. Of special interest are both a higher dopamine turnover—dopamine is a neurotransmitter that has been associated with aggression in earlier studies—and reduced methyl vanillate concentrations. Methyl vanillate is a derivative of vanillin, which has been associated with neuroprotective and antioxidative effects.

LRRTM4 as a target

From a translational perspective, research on zebrafish has shown that LRRTM4 may indeed play an important role in [human behavior](#). "For example, a method might be found for treating excessive aggression or anxiety disorders within the framework of neuropsychiatric diseases," explains Reichmann. However, further research on the development of suitable active substances and the confirmation of the effects in other test organisms are required.

More information: Eva Tatzl et al, Deficiency of the Synaptic Adhesion Protein Leucine-Rich Repeat Transmembrane Protein 4 Like 1 Affects Anxiety and Aggression in Zebrafish, *Acta Physiologica* (2025). [DOI: 10.1111/apha.70042](https://doi.org/10.1111/apha.70042)

Provided by Medical University of Graz

Citation: What we can learn from aggressive zebrafish (2025, July 14) retrieved 4 October 2025 from <https://phys.org/news/2025-07-aggressive-zebrafish.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.