

Are planets with oceans common in the galaxy? It's likely, NASA scientists find

June 19 2020, by Lonnie Shekhtman



This illustration shows NASA's Cassini spacecraft flying through plumes on Enceladus in October 2015. Credit: NASA/JPL-Caltech

Several years ago, planetary scientist Lynnae Quick began to wonder whether any of the more than 4,000 known exoplanets, or planets beyond our solar system, might resemble some of the watery moons around Jupiter and Saturn. Though some of these moons don't have atmospheres and are covered in ice, they are still among the top targets in NASA's search for life beyond Earth. Saturn's moon Enceladus and Jupiter's moon Europa, which scientists classify as "ocean worlds," are good examples.

"Plumes of water erupt from Europa and Enceladus, so we can tell that these bodies have subsurface oceans beneath their ice shells, and they have energy that drives the plumes, which are two requirements for life as we know it," says Quick, a NASA planetary scientist who specializes in volcanism and ocean worlds. "So if we're thinking about these places as being possibly habitable, maybe bigger versions of them in other [planetary systems](#) are habitable too."

Quick, of NASA's Goddard Space Flight Center in Greenbelt, Maryland, decided to explore whether—hypothetically—there are [planets](#) similar to Europa and Enceladus in the Milky Way galaxy. And, could they, too, be geologically active enough to shoot plumes through their surfaces that could one day be detected by telescopes.

Through a mathematical analysis of several dozen exoplanets, including planets in the nearby TRAPPIST-1 system, Quick and her colleagues learned something significant: More than a quarter of the exoplanets they studied could be ocean worlds, with a majority possibly harboring oceans beneath layers of surface ice, similar to Europa and Enceladus. Additionally, many of these planets could be releasing more energy than Europa and Enceladus.

Scientists may one day be able to test Quick's predictions by measuring the heat emitted from an exoplanet or by detecting volcanic or cryovolcanic (liquid or vapor instead of molten rock) eruptions in the wavelengths of light emitted by molecules in a planet's atmosphere. For now, scientists cannot see many exoplanets in any detail. Alas, they are too far away and too drowned out by the light of their stars. But by considering the only information available—exoplanet sizes, masses and distances from their stars—scientists like Quick and her colleagues can tap mathematical models and our understanding of the [solar system](#) to try to imagine the conditions that could be shaping exoplanets into livable worlds or not.


While the assumptions that go into these mathematical models are educated guesses, they can help scientists narrow the list of promising exoplanets to search for conditions favorable to life so that NASA's upcoming James Webb Space Telescope or other [space missions](#) can follow up.

"Future missions to look for signs of life beyond the solar system are focused on planets like ours that have a global biosphere that's so abundant it's changing the chemistry of the whole atmosphere," says Aki Roberge, a NASA Goddard astrophysicist who collaborated with Quick on this analysis. "But in the solar system, [icy moons](#) with oceans, which are far from the heat of the Sun, still have shown that they have the features we think are required for life."

To look for possible ocean worlds, Quick's team selected 53 exoplanets with sizes most similar to Earth, though they could have up to eight times more mass. Scientists assume planets of this size are more solid than gaseous and, thus, more likely to support liquid water on or below their surfaces. At least 30 more planets that fit these parameters have been discovered since Quick and her colleagues began their study in 2017, but they were not included in the analysis, which was published on June 18 in the journal *Publications of the Astronomical Society of the Pacific*.

With their Earth-size planets identified, Quick and her team sought to determine how much energy each one could be generating and releasing as heat. The team considered two primary sources of heat. The first, radiogenic heat, is generated over billions of years by the slow decay of radioactive materials in a planet's mantle and crust. That rate of decay depends on a planet's age and the mass of its mantle. Other scientists already had determined these relationships for Earth-size planets. So, Quick and her team applied the decay rate to their list of 53 planets, assuming each one is the same age as its star and that its mantle takes up

the same proportion of the planet's volume as Earth's mantle does.



This animated graph shows levels of predicted geologic activity among exoplanets, with and without oceans, compared to known geologic activity among solar system bodies, with and without oceans. Credit: Lynnae Quick & James Tralie/NASA's Goddard Space Flight Center

Next, the researchers calculated heat produced by something else: tidal force, which is energy generated from the gravitational tugging when one object orbits another. Planets in stretched out, or elliptical, orbits shift the distance between themselves and their stars as they circle them. This leads to changes in the gravitational force between the two objects

and causes the planet to stretch, thereby generating heat. Eventually, the heat is lost to space through the surface.

One exit route for the heat is through volcanoes or cryovolcanoes. Another route is through tectonics, which is a geological process responsible for the movement of the outermost rocky or icy layer of a planet or moon. Whichever way the heat is discharged, knowing how much of it a planet pushes out is important because it could make or break habitability.

For instance, too much volcanic activity can turn a livable world into a molten nightmare. But too little activity can shut down the release of gases that make up an atmosphere, leaving a cold, barren surface. Just the right amount supports a livable, wet planet like Earth, or a possibly livable moon like Europa.

In the next decade, NASA's Europa Clipper will explore the surface and subsurface of Europa and provide insights about the environment beneath the surface. The more scientists can learn about Europa and other potentially habitable moons of our solar system, the better they'll be able to understand similar worlds around other stars—which may be plentiful, according to today's findings.

"Forthcoming missions will give us a chance to see whether ocean moons in our solar system could support life," says Quick, who is a science team member on both the Clipper mission and the Dragonfly mission to Saturn's moon Titan. "If we find chemical signatures of life, we can try to look for similar signs at interstellar distances."

When Webb launches, scientists will try to detect chemical signatures in the atmospheres of some of the planets in the TRAPPIST-1 system, which is 39 light years away in the constellation Aquarius. In 2017, astronomers announced that this system has seven Earth-size planets.

Some have suggested that some of these planets could be watery, and Quick's estimates support this idea. According to her team's calculations, TRAPPIST-1 e, f, g and h could be ocean worlds, which would put them among the 14 ocean worlds the scientists identified in this study.

The researchers predicted that these exoplanets have oceans by considering the surface temperatures of each one. This information is revealed by the amount of stellar radiation each planet reflects into space. Quick's team also took into account each planet's density and the estimated amount of internal heating it generates compared to Earth.

"If we see that a planet's density is lower than Earth's, that's an indication that there might be more water there and not as much rock and iron," Quick says. And if the planet's temperature allows for liquid water, you've got an ocean world.

"But if a planet's surface temperature is less than 32 degrees Fahrenheit (0 degrees Celsius), where water is frozen," Quick says, "then we have an icy [ocean](#) world, and the densities for those planets are even lower."

More information: Lynnae C. Quick et al, Forecasting Rates of Volcanic Activity on Terrestrial Exoplanets and Implications for Cryovolcanic Activity on Extrasolar Ocean Worlds, *Publications of the Astronomical Society of the Pacific* (2020). [DOI: 10.1088/1538-3873/ab9504](#)

Provided by NASA's Goddard Space Flight Center

Citation: Are planets with oceans common in the galaxy? It's likely, NASA scientists find (2020, June 19) retrieved 1 October 2025 from <https://phys.org/news/2020-06-planets-oceans-common-galaxy-nasa.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.