
Researchers achieve world's first manipulation of antimatter by laser

March 31 2021



An artistic illustration of the movement of an antihydrogen atom in the ALPHA magnetic trap, before (grey) and after (blue) laser cooling. The images show various lengths of the antihydrogen's track. Credit: Chukman So/TRIUMF

Researchers with the CERN-based ALPHA collaboration have announced the world's first laser-based manipulation of antimatter, leveraging a made-in-Canada laser system to cool a sample of antimatter down to near absolute zero. The achievement, detailed in an article published today and featured on the cover of the journal *Nature*, will significantly alter the landscape of antimatter research and advance the next generation of experiments.

Antimatter is the otherworldly counterpart to matter; it exhibits near-identical characteristics and behaviors but has opposite charge. Because they annihilate upon contact with matter, <u>antimatter atoms</u> are exceptionally difficult to create and control in our world and had never before been manipulated with a laser.

"Today's results are the culmination of a years-long program of research and engineering, conducted at UBC but supported by partners from across the country," said Takamasa Momose, the University of British Columbia (UBC) researcher with ALPHA's Canadian team (ALPHA-Canada) who led the development of the laser. "With this technique, we can address long-standing mysteries like: 'How does antimatter respond to gravity? Can antimatter help us understand symmetries in physics?'. These answers may fundamentally alter our understanding of our Universe."

Since its introduction 40 years ago, laser manipulation and cooling of ordinary atoms have revolutionized modern atomic physics and enabled several Nobel-winning experiments. The results in *Nature* mark the first instance of scientists applying these techniques to antimatter.

By cooling antimatter, researchers will be able to perform a variety of precision tests to further investigate the characteristics of antimatter, including experiments that may shine a light on the fundamental symmetries of our Universe. These tests could offer clues as to why the Universe is made primarily of matter and not equal parts matter/antimatter as predicted by Big Bang models.

"It was a bit of crazy dream to manipulate antimatter with laser," said Makoto Fujiwara, ALPHA-Canada spokesperson, TRIUMF scientist, and the original proponent of the laser cooling idea. "I am thrilled that our dream has finally come true as a result of tremendous teamwork of both Canadian and international scientists."

The laser manipulation of antimatter also opens the door to a variety of leading-edge physics innovations. Momose and Fujiwara are now leading a new Canadian project, dubbed HAICU, to develop new quantum techniques for antimatter studies. "My next dream is to make a "fountain" of anti-atoms by tossing the laser-cooled antimatter into free space. If realized, it would enable an entirely new class of quantum measurements that were previously unthinkable," said Fujiwara. "Furthermore, we are one step closer to being able to manufacture the world's first antimatter molecules by joining anti-atoms together using our laser manipulation technology," said Momose.

The results mark a watershed moment for ALPHA's decades-long program of antimatter research, which began with the creation and trapping of antihydrogen for a world-record one thousand seconds in 2011. The collaboration also provided a first glimpse of the antihydrogen spectrum in 2012, set guardrails confining the effect of gravity on antimatter in 2013, and showcased an <u>antimatter</u> counterpart to a key spectroscopic phenomenon in 2020.

More information: Laser cooling of antihydrogen atoms, *Nature* (2021). DOI: 10.1038/s41586-021-03289-6

Provided by TRIUMF

Citation: Researchers achieve world's first manipulation of antimatter by laser (2021, March 31)

retrieved 5 October 2025 from https://phys.org/news/2021-03-canadian-built-laser-chills-antimatter-absolute.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.