


Wearable electronics could soon be made with a starch-based material to prevent e-waste

December 15 2022



This illustration shows the production of ASSET, 'Advanced Scalable Supersoft Elastic Transparent material', which is a starch-based biodegradable polymer for use in wearable electronics. Credit: Xiaohong Lan, University of Groningen

Soft, wearable sensors can improve our lives, but these soft and stretchable electronic devices are nearly impossible to recycle. As a result, this electronic waste usually ends up in landfills or polluting the environment. Polymer scientists from the University of Groningen have now developed a starch-based polymer that makes it possible to create a fully biodegradable soft material for sensors. They published a paper on this new material in *ACS Applied Materials & Interfaces* on December 13.

Soft, stretchable polymers are used to make various kinds of electronic devices. For example, they are used in smart watches to make contact with the skin. Sensors in shoes or clothing are also often based on these materials, as is the screen of your smartphone.

"These [soft materials](#) are often made from mixtures of polymers, which are difficult to purify. As a result, they are dumped in landfills, often with the toxic metal components of the sensor still present. This kind of [electronic waste](#) is becoming a serious problem," says Xiaohong Lan, first author of the paper and postdoc at the University of Groningen Polymer Science group led by Professor Katja Loos.


Backbone

Lan, Loos, and their colleagues have developed an alternative to these complex polymers: a biodegradable material that decomposes in a matter of weeks to a few months. "There are easy ways to remove the metal and polymers from the e-waste," says Lan. "Of course, you could try to

recycle the soft polymers, but that is often too complex, and therefore too expensive." The researchers' new polymer decomposes, leaving only water and carbon dioxide behind.

"To create a biodegradable polymer, we started out with a backbone of starch-derived dextrin carbohydrates," explains Lan. "Most polymer backbones contain chemical bonds, which are very strong. The dextrin backbone can be degraded by natural enzymes that are present in soil."

Long fatty acid tails were added to the dextrin in the backbone, and the researchers were able to use the amount of fatty acids added per glucose unit to regulate the hydrophobicity of the polymer. "The enzymes that degrade the polymer require water, so if a material is too hydrophobic, they cannot do it. If the polymer is too hydrophilic, on the other hand, the material will not have the right properties," says Lan.



This image shows the soft and stretchable material for use in wearable sensors.
Credit: Xiaohong Lan, University of Groningen

Brushes

The material needs to be soft and stretchable, but also dielectric, which means that the sensors can charge themselves with the electricity created by rubbing against fabric. Apart from the fatty acid tail, the modified dextrin polymer was also grafted with lactone monomers in a brush-like

pattern. These brushes give the material its stretchability. The resulting "Advanced Scalable Supersoft Elastic Transparent material" (ASSETm) has all the right properties. Experiments revealed that it is suited to seal in electrodes to produce sensors. "We compared our sensors with state-of-the-art commercial sensors, and found that ours worked at least as well," says Lan.

The production process is scalable, so there is no reason why this biodegradable ASSETm should not replace traditional soft polymers in smart electronics. Lan cautions, "However, we do have to change our attitude towards starch, which is usually seen as a food product." Currently, approximately 60% of all starch is used in animal feed, 30% for human consumption, and 10% in medical applications. "However, starch consumption is decreasing, and there is a downward trend in cattle numbers."

Group leader Katja Loos is also enthusiastic about the new material. "We hope that our paper will launch a discussion on further curbing e-waste. This degradable [polymer](#) can really help reduce the amount of e-waste," she says.

More information: Xiaohong Lan et al, Scalable and Degradable Dextrin-Based Elastomers for Wearable Touch Sensing, *ACS Applied Materials & Interfaces* (2022). [DOI: 10.1021/acsami.2c15634](https://doi.org/10.1021/acsami.2c15634)

Provided by University of Groningen

Citation: Wearable electronics could soon be made with a starch-based material to prevent e-waste (2022, December 15) retrieved 3 October 2025 from <https://phys.org/news/2022-12-wearable-electronics-starch-based-material-e-waste.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.