


Selenium vacancies regulate d-band centers for upgrading N-containing compounds

September 27 2023



The Ni₃Se₄ high-efficiency bifunctional electrocatalyst with Se vacancy was used for paired electrolysis of nitrate reduction and benzylamine oxidation in anion exchange membrane electrolyzer. Credit: Science China Press

A recent study published in *Science China Chemistry* was led by Prof. Feng Fu (Research Institute of Comprehensive Energy Industry Technology, College of Chemistry & Chemical Engineering, Yan'an University). The experiments were performed by the Ni_3Se_4 high-efficiency bifunctional electrocatalyst with Se vacancy was used for paired electrolysis of nitrate reduction and benzylamine oxidation in anion exchange membrane electrolyzer.

Anion exchange membrane (AEM) electrolyzers have the advantages of low cost and high electrolysis efficiency, which can be combined with [renewable energy](#) and have broad application prospects.

Integrating benzylamine oxidation (BOR) into nitrate reduction (NO_3RR) holds great potential for achieving significant benefits in economically paired electrolysis in AEM electrolyzers, enhancing overall electrolysis efficiency, and laying the foundation for the commercialization and large-scale industrial application of high-value organic chemicals.

The paper designs efficient bifunctional electrocatalysts, using Ni_3Se_4 with Se vacancies, for the paired electrolysis of NO_3RR and BOR in AEM electrolyzers, yielding valuable nitrogen-containing compounds at both the cathode and anode.

In the cathodic NO_3RR process, the adsorption energies of reactants, products, and intermediates on the catalyst surface are regulated by vacancy engineering of the Ni_3Se_4 d-band center, promoting the reduction of nitrates to ammonia. At the anode, BOR is employed instead of traditional oxygen evolution reaction (OER), and the Se vacancies facilitate the adsorption of OH^- ions and the formation of NiOOH , enabling efficient conversion of benzylamine to benzonitrile.

Techno-economic analysis demonstrates that paired electrolysis offers a

1.21 times lower cost and a 1.42 times higher profit compared to non-paired electrolysis, highlighting the feasibility and economic attractiveness of this approach. By applying the strategy of paired [electrolysis](#) in AEM electrolyzers, the groundwork is laid for the sustainable synthesis and industrial development of various high-value chemicals.

More information: Feng Yue et al, Selenium vacancies regulate d-band centers in Ni_3Se_4 toward paired electrolysis in anion-exchange membrane electrolyzers for upgrading N-containing compounds, *Science China Chemistry* (2023). [DOI: 10.1007/s11426-023-1636-7](https://doi.org/10.1007/s11426-023-1636-7)

Provided by Science China Press

Citation: Selenium vacancies regulate d-band centers for upgrading N-containing compounds (2023, September 27) retrieved 3 October 2025 from <https://phys.org/news/2023-09-selenium-vacancies-d-band-centers-n-containing.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--